მულტიტესტი
სატესტო ლაბორატორია
0126 თბილისი, სოფ. დიღომი,
დავით აღმაშენებლის ქ. 35
+995 322 144 848; +995 322 515 275
info@multitest.ge
www.multitest.ge

MULTITEST
Testing Laboratory
35 David Agmashenebeli str.
Village Digomi, 0126 Tbilisi, Georgia
+995 322 144 848; +995 322 515 275
info@multitest.ge
www.multitest.ge

Test Report

Test Report	7790
Date of The Test Report	30.09.2026
Sample ID	801858
Sample Receiving Date	21.09.2026
Sample Quantity	1
Customer	Flora 23 LLC
Address	-
Sample	Pesticide residue Mg/Kg
Sampling	Sample is taken by the customer
Sampling Act	
Date of Sampling	
Sample details	Sage plant
LOT	
Volume / Mass	1 kg
Note	*Determination of this parameter is not included in the scope of Multitest accreditation
Date of start the analysis	24.09.2026
Date of the end of analysis	30.09.2026

TEST RESULTS

№	Parameter	Result	Unit	Method
1	Azoxystrobin	<1,0	mg/kg	AOAC 2007.01
2	Atrazine	<0,1	mg/kg	AOAC 2007.01
3	Chlorpyrifos	<0,1	mg/kg	AOAC 2007.01
4	Cyproconazole	<0,2	mg/kg	AOAC 2007.01
5	Chlorothalonil	<0,1	mg/kg	AOAC 2007.01
6	Desmetryn	<0,1	mg/kg	AOAC 2007.01
7	Difenoconazole	<0,5	mg/kg	AOAC 2007.01
8	Diniconazole	<0,1	mg/kg	AOAC 2007.01
9	Fluazifop-p-butyl	<0,1	mg/kg	AOAC 2007.01
10	Hexaconazole	<0,2	mg/kg	AOAC 2007.01
11	Metalaxyl	<0,1	mg/kg	AOAC 2007.01
12	Metolachlor	<0,1	mg/kg	AOAC 2007.01
13	Metribuzin	<0,1	mg/kg	AOAC 2007.01
14	Oxyfluorfen	<0,1	mg/kg	AOAC 2007.01
15	Penconazole	<0,2	mg/kg	AOAC 2007.01
16	Pendimethalin	<0,1	mg/kg	AOAC 2007.01
17	Prometryne	<0,1	mg/kg	AOAC 2007.01
18	Propargite	<0,3	mg/kg	AOAC 2007.01
19	Pyridaben	<0,5	mg/kg	AOAC 2007.01
20	Pyrimethanil	<0,2	mg/kg	AOAC 2007.01

მულტიტესტი
საგამოცდო ლაბორატორია
0126 თბილისი, სოფ. დიღომი,
დავით აღმაშენებლის ქ. 35
+995 322 144 848; +995 322 515 275
info@multitest.ge
www.multitest.ge

MULTITEST
Testing Laboratory
35 David Agmashenebeli str.
Village Digomi, 0126 Tbilisi, Georgia
+995 322 144 848; +995 322 515 275
info@multitest.ge
www.multitest.ge

Test Report

Test Report	7611
Date of The Test Report	25.09.2026
Sample ID	801858
Sample Receiving Date	21.09.2026
Sample Quantity	1
Customer	Flora 23 LLC
Address	-
Sample	plant
Sampling	Sample is taken by the customer
Sampling Act	
Date of Sampling	
Sample details	Sage plant
Volume / Mass	1 kg
Lot number	
Note	*Determination of this parameter is not included in the scope of Multitest accreditation
Date of start the analysis	24.09.2026
Date of the end of analysis	25.09.2026

TEST RESULTS

№	Parameter	Result	Unit	Method
1	Lead content*	0.18	mg/kg	GOST 30538-97
2	Cadmium content*	<0.01	mg/kg	GOST 30538-97
3	Arsenic*	<0.1	mg/kg	GOST 26930-86
4	Mercury content *	0,01	mg/kg	DMA-HG0622
5	copper *	9,3	mg/kg	GOST 30538-97
6	Zinc *	41,3	mg/kg	GOST 30538-97

The test results relate only to the items tested

Laboratory Manager /Levan Kalandadze/

GEORGIA, "MULTITEST" LTD 205025576

№	Parameter	Result	Unit	Method
21	Tebufenpyrad	<0,2	mg/kg	AOAC 2007.01
22	Terbutryn	<0,1	mg/kg	AOAC 2007.01
23	Triadimefon	<0,1	mg/kg	AOAC 2007.01
24	Bifenthrin	<0,02	mg/kg	M.M. 268-1.3-5000
25	Cypermethrin	<0,02	mg/kg	M.M. 268-1.3-5000
26	Deltamethrin	<0,02	mg/kg	M.M. 268-1.3-5000
27	Fenvalerate	<0,02	mg/kg	M.M. 268-1.3-5000
28	Lambda-cyhalothrin	<0,02	mg/kg	M.M. 268-1.3-5000
29	Permethrin	<0,02	mg/kg	M.M. 268-1.3-5000
30	Aldrin	<0,005	mg/kg	GOST 30349-96
31	Chlordane-α -	<0,005	mg/kg	GOST 30349-96
32	Chlordane-γ	<0,005	mg/kg	GOST 30349-96
33	Endosulfan I	<0,01	mg/kg	GOST 30349-96
34	Endosulfan II	<0,01	mg/kg	GOST 30349-96
35	Endryn Aldehyde	<0,01	mg/kg	GOST 30349-96
36	Endryn ketone	<0,01	mg/kg	GOST 30349-96
37	HCH and it's isomers (α,β,δ)	<0,01	mg/kg	GOST 30349-96
38	Heptachlor	<0,005	mg/kg	GOST 30349-96
39	Heptachlor epoxide	<0,005	mg/kg	GOST 30349-96
40	Lindane	<0,005	mg/kg	GOST 30349-96
41	Methoxychlor	<0,01	mg/kg	GOST 30349-96
42	Nonachlor-cis	<0,01	mg/kg	GOST 30349-96
43	Nonachlor-trans	<0,01	mg/kg	GOST 30349-96
44	p,p'-DDD	<0,005	mg/kg	GOST 30349-96
45	p,p'-DDE	<0,005	mg/kg	GOST 30349-96
46	p,p'-DDT	<0,005	mg/kg	GOST 30349-96
47	Benalaxyl	<0,1	mg/kg	AOAC 2007.01
48	Diazinon	<0,1	mg/kg	AOAC 2007.01
49	Trifloxystrobin	<0,2	mg/kg	AOAC 2007.01
50	Krezoxym-metyl *	<0,1	mg/kg	AOAC 2007.01
51	Myclobutanil	<0,3	mg/kg	AOAC 2007.01
52	Chlorpirifos-methyl	<0,1	mg/kg	AOAC 2007.01
53	Propizamide	<0,3	mg/kg	AOAC 2007.01

The test results relate only to the items tested

Test Report 7790; 30.09.2026

Laboratory Manager /Levan Kalandadze/

